



1191-6<sup>D</sup>

Three  
First Size  
Cardigans  
in  
Patons  
Quickerknit





## Quickerknit cardigans are **always** right

*Three new V-neck cardigans in this ever-popular baby wool which knits up with such satisfying speed*

### TWO-COLOUR ALL-OVER PATTERN

#### MATERIALS

3 oz. Main Shade, 1 oz. Contrast, PATONS QUICKERKNIT Baby Wool, Patonised.

Two No. 10 and two No. 8 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

*You must use Quickerknit to be sure of a successful result.*

#### MEASUREMENTS

To fit 18 inch chest. Length, 8½ ins. Sleeve seam, 5 ins.

*These instructions apply to the above measurements only; adaptations to other sizes are not available.*

#### TENSION

6 sts. and 8 rows to one square inch on No. 8 needles, measured over stocking stitch. See below for how to check your Tension, and Abbreviations.

### PLEASE READ THIS FIRST

#### ABBREVIATIONS

K.=knit; P.=purl; K.B.=knit into back of stitch; P.B.=purl into back of stitch; st.=stitch; sl.=slip; w.fwd.=wool forward; w.r.n.=wool round needle; p.s.s.o.=pass slip stitch over; tog.=together; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; alt.=alternate; rep.=repeat; patt.=pattern; incl.=inclusive; ins.=inches; M.S.=Main Shade; C.=Contrast.

#### HOW TO CHECK YOUR TENSION

Before you knit these designs check your tension carefully. Take a pair of No. 8 needles, cast on 12 stitches and work in stocking stitch—1 row knit; 1 row purl—for 16 rows. Cast off. press lightly on

#### RIGHT FRONT

Using No. 10 needles and Main Shade, cast on 26 sts.

Work in K.1, P.1 rib for 1½ ins., inc. 1 st. at beg. of last row (27 sts.).

**Change to No. 8 needles** and proceed as follows:—

**1st row**—Join in Contrast, K.1M.S., \* 1M.S., 3C., rep. from \* to last 2 sts., K.2M.S.

**2nd row**—K.1M.S., \* P.2M.S., 1C., 1M.S., rep. from \* to last 2 sts., P.1M.S., K.1M.S.

**3rd row**—Using Main Shade, K.

**4th row**—Using Main Shade, K.1, P. to last st. K.1.

**5th row**—K. \* 3M.S., 1C., rep. from \* to last 3 sts., K.3M.S.

**6th row**—K.1M.S., \* P.1C., 3M.S., rep. from \* to last 2 sts., P.1C., K.1M.S..

**7th row**—Using Main Shade, K.

**8th row**—Using Main Shade, K.1, P. to last st., K.1. These 8 rows form the patt.

wrong side. The tension should be 6 sts. and 8 rows to one square inch and the knitted square should measure 2 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch corresponding alterations must be made to the needles throughout.

#### NOTE ON FAIR ISLE KNITTING (Stranding)

In working designs using two or more colours, we recommend stranding the colours by carrying those not in use loosely across the back of the fabric.



Continue in patt. until work measures 4¾ ins. from beg., finishing at end of a P. row.

Keeping patt. correct, **shape front slope** and **armhole** as follows:—

**1st row**—K.2 tog., work to end.

**2nd row**—Cast off 3, work to last st., K.1.

**3rd row**—Work to last 2 sts., K.2 tog. Continue dec. 1 st. at armhole edge on every alt. row until 3 dec. in all have been worked, at the same time dec. 1 st at front edge on every 3rd row from previous dec. until 13 sts. remain.

Continue on these sts. until work measures 3¾ ins. from beg. of armhole shaping, finishing at armhole edge.

**Shape shoulder** by casting off 6 sts. at beg. of next row. Work 1 row. Cast off.

#### LEFT FRONT

Work to match Right Front, reversing all shapings.

#### BACK

Using No. 10 needles and Main shade, cast on 54 sts.

Work in K.1, P.1 rib for 1½ ins.

**Change to No. 8 needles** and knitting 1 st. at both ends of every row, proceed in stocking stitch until work measures same as Fronts to armhole shaping.

**Shape armholes** by casting off 3 sts. at be beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 42 sts. remain.

Continue on these sts. until work measures same as Fronts to shoulder shaping.



**Shape shoulders** by casting off 6 sts. at beg. of next 2 rows, 7 sts. at beg. of following 2 rows. Cast off.

### SLEEVES

Using No. 10 needles and Main Shade, cast on 28 sts.

Work in K.1, P.1 rib for  $1\frac{1}{2}$  ins.

**Next row**—Rib 1, (inc. in next st., rib 7) 3 times, inc. in next st., to end (32 sts.).

**Change to No. 8 needles** and knitting 1 st. at both ends of every row, proceed in stocking stitch, inc. 1 st. at both ends of 3rd and every following 8th row until there are 38 sts.

Continue on these sts. until work measures 5 ins. from beg.

*Another photograph of the cardigan shown on page 3*



**Shape top** by casting off 1 st. at beg. of next 2 rows, then dec. 1 st. at both ends of next and every alt. row until 18 sts. remain, every row until 12 sts. remain. Cast off.

### FRONT BAND

Using No. 10 needles and Main Shade, cast on 7 sts.

**1st row**—K.2, (P.1, K.1) twice, K.1.

**2nd row**—(K.1, P.1) 3 times, K.1.

**3rd and 4th rows**—As 1st and 2nd.

**5th row**—K.2, P.2 tog., w.r.n., P.1, K.2.

Continue in rib working a buttonhole as on last row on every following 12th row from previous buttonhole until 4 buttonholes in all have been worked.

Continue in rib without further buttonholes until work measures  $19\frac{3}{4}$  ins. (not stretched) from beg.

Cast off in rib.

### TO MAKE UP

Omitting ribbing, with wrong side of work facing, block each piece by pinning out round edges. Omitting ribbing, press each piece **very lightly** using a warm iron and damp cloth. Using a back-stitch seam join shoulders of Back and Fronts. Using a flat seam join side and sleeve seams and stitch Sleeves into position. Stitch Front Band into position. Attach buttons. Press seams.



## WITH A CHAIN PATTERN YOKE

### MATERIALS

3 oz. PATONS QUICKERKNIT Baby Wool, Patonised.

Two No. 11 and two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Four buttons.

*You must use Quickerknit to be sure of a successful result.*

### MEASUREMENTS

To fit 18 inch chest. Length,  $8\frac{1}{4}$  ins. Sleeve seam, 5 ins.

*These instructions apply to the above measurements only; adaptations to other sizes are not available.*

### TENSION

$6\frac{1}{2}$  sts. and  $8\frac{1}{2}$  rows to one square inch on No. 9 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

### BACK

Using No. 11 needles, cast on 58 sts. Work in K.1, P.1 rib for  $1\frac{1}{4}$  ins., inc. 1 st. at beg. of last row (59 sts.).

**Change to No. 9 needles** and purling 1 st. at both ends of every row proceed in stocking stitch until work measures 4 ins. from beg., finishing at end of a P. row.



**Shape raglan armholes** and proceed in Yoke patt. as follows:—

**\*\*1st row**—Cast off 2, (there now being 1 st. on needle after cast-off), keeping wool at front of work \* sl.1 purlwise, P.1, rep. from \* to end.

**2nd row**—Cast off 2, \* K.1, P.1, rep. from \* to end.

**3rd row**—P.2 tog., K. to last 2 sts., P.2 tog.

**4th row**—P.

**5th and 6th rows**—As 3rd and 4th.

**7th row**—P.2 tog., \* P.1, sl.1, rep. from \* to last 3 sts., P.1, P.2 tog.

**8th row**—P.1, \* P.1, K.1, rep. from \* to last 2 sts., P.2.

**9th to 12th row**—As 3rd to 6th.

**13th row**—P.2 tog., \* sl.1, P.1, rep. from \* to last 3 sts., sl.1, P.2 tog.

**14th row**—\* P.1, K. 1, rep. from \* to last st., P.1.\*\*

Rep. 3rd to 14th row twice more (19 sts.). Cast off.

#### RIGHT FRONT

Using No. 11 needles, cast on 28 sts. Work in K.1, P.1 rib for  $1\frac{1}{4}$  ins., inc. 1 st. at beg. of last row (29 sts.).

**Change to No. 9 needles** and proceed in stocking stitch as on Back until work measures same as Back up to armhole shaping, finishing at end of a P. row.

**Shape front slope and raglan armhole** and proceed in Yoke patt. as follows:—

**1st row**—P.2 tog., \* P.1, sl.1, rep. from \* to last st., P.1.

**2nd row**—Cast off 2, \* K.1, P.1, rep. from \* to last st., P.1.

**3rd row**—P.1, K. to last 2 sts., P.2 tog.

**4th row**—P.

Keeping patt. correct as on Back, dec. 1 st. at armhole edge on next and every alt. row, at the same time dec. 1 st. at front edge on every 4th row from previous dec. until 5 sts. remain.

Continue without further dec. at front edge, but still dec. at armhole edge until 1 st. remains.

Work 1 row. Fasten off.

#### LEFT FRONT

Work to match Right Front reversing all shapings, the first 4 rows placing

raglan armhole, front slope and Yoke patt. being as follows:—

**1st row**—Cast off 2, \* sl.1, P.1, rep. from \* to last 2 sts., P.2 tog.

**2nd row**—P.2, \* K.1, P.1, rep. from \* to end.

**3rd row**—P.2 tog., K. to last st., P.1.

**4th row**—P.

#### SLEEVES

Using No. 11 needles, cast on 34 sts.

Work in K.1, P.1 rib for  $1\frac{1}{4}$  ins.

**Next row**—Rib 2, (inc. in next st., rib 6) 4 times, inc. in next st., rib to end (39 sts.).

**Change to No. 9 needles** and proceed in stocking stitch as on Back, inc. 1 st. in first st. and last st. but one on 3rd and every following 8th row until there are 47 sts.

Continue on these sts. until work measures 5 ins. from beg., finishing at end of a P. row.

**Shape top** by working from \*\* to \*\* as on Back once.

Rep. 3rd to 14th row twice more (7 sts.). Cast off.

#### FRONT BAND

Using No. 11 needles, cast on 7 sts.

**1st row**—K.2, (P.1, K.1) twice, K.1.

**2nd row**—(K.1, P.1) 3 times, K.1.

**3rd row**—K.2, P.2 tog., w.r.n., P.1, K.2.

Continue in rib working a buttonhole as on last row on every following 12th row from previous buttonhole until 4 buttonholes in all have been worked.

Continue in rib without further buttonholes until work measures  $19\frac{3}{4}$  ins. (not stretched) from beg.

Cast off in rib.

#### TO MAKE UP

Omitting ribbing, with wrong side of work facing, block each piece by pinning out round edges.

Omitting ribbing, press each piece **very lightly** using a warm iron and damp cloth.

Using a flat seam, join side and sleeve seams and stitch Sleeves into position. Stitch on Front Band.

Attach buttons. Press seams.

## STRIPES ARE SO FASHIONABLE

#### MATERIALS

3 oz. PATONS QUICKERKNIT Baby Wool, Patonised.

Two No. 11 and two No. 9 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge.

Four buttons.

*You must use Quickerknit to be sure of a successful result.*

#### MEASUREMENTS

To fit 18 inch chest. Length,  $8\frac{1}{2}$  ins. Sleeve seam, 5 ins.

*These instructions apply to the above measurements only; adaptations to other sizes are not available.*

#### TENSION

$6\frac{1}{2}$  sts. and  $8\frac{1}{2}$  rows to one square inch on No. 9 needles, measured over stocking stitch. *See page 2 for how to check your Tension, and Abbreviations.*

#### BACK

Using No. 11 needles, cast on 59 sts.

**1st row**—K.1, \* K.B.1, P.1, rep. from \* to last 2 sts., K.B.1, K.1.

**2nd row**—\* K.1, P.B.1, rep. from \* to last st., K.1.

Rep. 1st and 2nd rows 5 times more.

**Change to No. 9 needles** and proceed in ridge patt. as follows:—

**1st to 3rd row**—K.

**4th row**—K.1, P. to last st., K.1.

**5th row**—K.

**6th and 7th rows**—As 4th and 5th.

**8th row**—K.1, P. to last st., K.1.

These 8 rows form the patt. Rep. 1st to 8th rows 3 times more.

Keeping patt. correct **shape armholes** by casting off 3 sts. at beg. of next 2 rows.

Dec. 1 st. at both ends of next and every alt. row until 45 sts. remain.

Continue on these sts. until work measures  $3\frac{3}{4}$  ins. from beg. of armhole shaping.

**Shape shoulders** by casting off 7 sts. at beg. of next 4 rows. Cast off.

#### RIGHT FRONT

Using No. 11 needles, cast on 29 sts.

Work ribbing as on Back.

**Change to No. 9 needles** and proceed in patt. as follows:—

**1st row**—K.

**2nd row**—K. to last 6 sts., P.5, K.1.

**3rd row**—K.4, K.2 tog., w.fwd., K. to end.





**4th row**—K.1, P. to last st., K.1.

**5th row**—K.3, K.2 tog., w.fwd., K. to end.

**6th row**—As 4th row.

**7th row**—K.2, K.2 tog., w.fwd., K. to end.

**8th row**—As 4th row.

**9th row**—K.1, K.2 tog., w.fwd., K. to end.

**10th row**—K. to last 6 sts., P.5, K.1.

Rows 3 to 10 incl. form the patt.

Rep. 3rd to 10th row twice more, then 3rd to 8th row once.

Keeping patt correct, **shape front slope and armhole** as follows:—

**1st row**—Patt. 7, sl.1, K.1, p.s.s.o., K. to end.

**2nd row**—Cast off 3, work to last st., K.1.

**3rd row**—Work to last 2 sts., K.2 tog.

Continue dec. at armhole edge on every alt. row until 4 dec. in all have been worked, at the same time dec. 1 st. at front edge as before inside 7 st. border on every following 4th row from previous dec. until 14 sts. remain.

Continue on these sts. until work measures same as Back up to shoulder shaping, finishing at armhole edge.

**Shape shoulder** by casting off 7 sts. at beg. of next row.

Work 1 row. Cast off.

### LEFT FRONT

Work to match Right Front, reversing all shapings, the first 6 rows placing patt. being as follows:—

**1st row**—K.

**2nd row**—K.1, P.5, K. to end.

**3rd row**—K. to last 6 sts., w.fwd., sl.1, K.1, p.s.s.o., K.4.

**4th row**—K.1, P. to last st., K.1.

**5th row**—K. to last 5 sts., w.fwd., sl.1, K.1, p.s.s.o., K.3.

**6th row**—K.1, P. to last st., K.1;

noting that front slope shapings will be worked K.2 tog. in place of sl.1, K.1, p.s.s.o.

### SLEEVES

Using No. 11 needles, cast on 33 sts.

Work ribbing as on Back for  $1\frac{1}{2}$  ins.

**Next row**—Rib 2, (inc. in next st., rib 6) 4 times, inc. in next st., rib to end (38 sts.).

**Change to No. 9 needles** and proceed in ridge patt. as on Back, inc. 1 st. in first st. and last st. but one on 9th and every following 8th row until there are 44 sts. Work 7 rows.

Keeping patt. correct **shape top** by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 20 sts. remain, every row until 12 sts. remain. Cast off.

### FRONT BAND

Using No. 11 needles, cast on 7 sts.

**1st row**—K.1, (K.B.1, P.1) twice, K.B.1, K.1.

**2nd row**—(K.1, P.B.1) 3 times, K.1.

**3rd row**—K.1, K.B.1, P.2 tog., w.r.n., P.1, K.B.1, K.1.

**4th row**—K.1, P.B.1, K.1, P.1, K.1, P.B.1, K.1.

Continue in rib working a buttonhole as on last 2 rows on every following 13th and 14th rows from previous buttonhole until 4 buttonholes in all have been worked.

Continue in rib without further buttonholes until work measures  $19\frac{3}{4}$  ins. (not stretched) from beg. Cast off in rib.

### TO MAKE UP

Omitting ribbing, with wrong side of work facing, block each piece by pinning out round edges.

Omitting ribbing, **very lightly** press each piece using a warm iron and damp cloth. Using a back-stitch seam join shoulders of Back and Fronts.

Using a flat seam join side and sleeve seams and stitch Sleeves into position.

Stitch on Front Band.

Attach buttons. Press seams.

*Please address knitting enquiries concerning this booklet to  
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex  
Prices apply only in Great Britain and Northern Ireland*

**PUBLISHED BY PATONS & BALDWIN'S LIMITED**

*Made and Printed in Great Britain by Percy Lund, Humphries & Co. Ltd., Bradford and London. 30682*